

	Type	Hits	Search Text	DBs
1	IS&R	50	(("6157419") or ("6379010") or ("5772299") or ("4596451") or ("6005644") or ("6246506") or ("5444504") or ("5537258") or ("5617243") or ("5621486") or ("5706063") or ("5777789") or ("5786934") or ("5786873") or ("5853240") or ("5957560") or ("6111700") or ("6174060") or ("6176583") or ("6179423") or ("6201645") or ("4464018") or ("4490745") or ("4827334") or ("4928123") or ("5267029") or ("5333072") or ("5381278") or ("5404234") or ("5535054") or ("5537233") or ("5566367") or ("5590942") or ("5648870") or ("5694189") or ("5751480") or ("5760954") or ("5765934") or ("5815221") or ("5867320") or ("5884991") or ("5889614") or ("5934778") or ("6023373") or ("6024451") or ("6038004") or ("6045228") or ("6065838") or ("6109752") or ("6124911")).PN.	USPAT; US-PGPUB
2	BRS	1	10/633597	USPAT; US-PGPUB
3	IS&R	1	("6234634").PN.	USPAT; US-PGPUB
4	IS&R	7423	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.	USPAT; US-PGPUB
5	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near polariz\$3) and (anlyzer or (abosorption near polariz\$3)) and ("reflection axis" near rotat\$3 near angle\$3)).	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
6	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near polariz\$3) and (anlyzer or (abosorption near polariz\$3)) and ("reflection axis" near rotat\$3)	USPAT; US-PGPUB
7	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near polariz\$3) and (anlyzer or (abosorption near polariz\$3)) and (axis near rotat\$3)	USPAT; US-PGPUB
8	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near polariz\$3) and (anlyzer or (abosorption near polariz\$3)) and ("reflection axis" with rotat\$3 with angle)	USPAT; US-PGPUB
9	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near polariz\$3) and (anlyzer or (abosorption near polariz\$3)) and (axis with rotat\$3)	USPAT; US-PGPUB
10	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near polariz\$3) and (analyzer or (abosorption near polariz\$3)) and ("reflection axis" near rotat\$3 near angle)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
11	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near polariz\$3) and (analyzer or (abosorption near polariz\$3)) and ("reflection axis" near rotat\$3)	USPAT; US-PGPUB
12	BRS	10	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near polariz\$3) and (analyzer or (abosorption near polariz\$3)) and (axis near rotat\$3)	USPAT; US-PGPUB
13	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 near (polariz\$3 or polaris\$3)) and (plolarizer or polariser) and (analyzer or (abosorption near polariz\$3)) and (axis near rotat\$3)	USPAT; US-PGPUB
14	BRS	38	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 with polariz\$3) and (analyzer or (abosorption near polariz\$3)) and (axis near rotat\$3)	USPAT; US-PGPUB
15	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 with polariz\$3) and (analyzer or (abosorption near polariz\$3)) and ("reflection axis" near rotat\$3)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
16	BRS	0	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 with polariz\$3) and (analyzer or (abosorption near polariz\$3)) and ("reflection axis" near rotat\$3 near angle))	USPAT; US-PGPUB
17	BRS	4	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (reflect\$3 with polariz\$3) and (analyzer or (abosorption near polariz\$3)) and ("reflection axis" with rotat\$3 with angle))	USPAT; US-PGPUB
18	BRS	25	((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi	USPAT; US-PGPUB
19	BRS	16	((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis))	USPAT; US-PGPUB
20	BRS	1	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and polarizer and analyzer	USPAT; US-PGPUB
21	BRS	1	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and	USPAT; US-PGPUB
22	BRS	1	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and	USPAT; US-PGPUB
23	BRS	3	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and polariz\$3 and analyz\$3	USPAT; US-PGPUB
24	BRS	16	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
25	BRS	3	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and	USPAT; US-PGPUB
26	BRS	16	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and polariz\$3 and adjust\$4	USPAT; US-PGPUB
27	BRS	2	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and polariz\$3 and (adjust\$4 with plate)	USPAT; US-PGPUB
28	BRS	2	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and polariz\$3 and (adjust\$4 with device)	USPAT; US-PGPUB
29	BRS	1	(((((Tsutomu near Nakashima) or (Satoshi near Ouchi) or (Taro near Imahase) or (Tomohiro near Miyoshi)) and Hitachi) and (rotat\$ with axis)) and polariz\$3 and (adjust\$4 with axis)	USPAT; US-PGPUB
30	BRS	1014	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (rotat\$ with axis) and (polariz\$3 or analyz\$3)	USPAT; US-PGPUB
31	BRS	34	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (rotat\$ with axis) and (polariz\$3 or analyz\$3) and Hitachi	USPAT; US-PGPUB
32	IS&R	126	(396/20).CCLS.	USPAT; US-PGPUB
33	BRS	0	((396/20).CCLS.) and (rotat\$ with axis) and (polariz\$3 or analyz\$3) and Hitachi	USPAT; US-PGPUB
34	BRS	2	((396/20).CCLS.) and (rotat\$ with axis) and (polariz\$3 or analyz\$3)	USPAT; US-PGPUB
35	IS&R	473	(353/20).CCLS.	USPAT; US-PGPUB
36	BRS	96	((353/20).CCLS.) and (rotat\$ with axis) and (polariz\$3 or analyz\$3)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
37	BRS	11	((353/20).CCLS.) and ((rotat\$ or adjust\$4) with (reflect\$3 near axis)) and (polariz\$3 or analyz\$3)	USPAT; US-PGPUB
38	BRS	38	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((rotat\$ or adjust\$4) with (reflect\$3 near axis)) and (polariz\$3 or analyz\$3)	USPAT; US-PGPUB
39	BRS	11	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((rotat\$ or adjust\$4) with (reflect\$3 near axis)) and polariz\$3 and analyz\$3	USPAT; US-PGPUB
40	BRS	4	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((rotat\$ or adjust\$4) with "reflection axis") and polariz\$3 and analyz\$3	USPAT; US-PGPUB
41	BRS	7	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((rotat\$ or adjust\$4) with "reflection axis") and (polariz\$3 or analyz\$3)	USPAT; US-PGPUB
42	BRS	19	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((rotat\$ or adjust\$4) with ("reflection axis" or "absorption axis")) and (polariz\$3 or analyz\$3)	USPAT; US-PGPUB
43	BRS	485	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (absorption with (polariz\$4 or polaris\$4)) and (polariz\$3 or analyz\$3)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
44	BRS	101	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary adj polariz\$3) or (absorption adj polariz\$3) or (analyzer with absorption)))	USPAT; US-PGPUB
45	BRS	8	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (auxiliary adj polariz\$3))	USPAT; US-PGPUB
46	BRS	8	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (auxiliary adj polariz\$3) and polarizer	USPAT; US-PGPUB
47	BRS	100	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary or "2nd" or second or another) adj polariz\$3) and (polariz\$3 near prism))	USPAT; US-PGPUB
48	BRS	262	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary or "2nd" or second or another) adj polariz\$3) and (polariz\$3 near (prism or plate)))	USPAT; US-PGPUB
49	BRS	62	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary or "2nd" or second or another) adj polariz\$3) and (polariz\$3 near prism) and "light source" and (project\$3 near lens))	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
50	BRS	3	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (auxiliary adj polariz\$3) and (polariz\$3 near prism) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
51	BRS	21	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary or "2nd" or second or another) adj polarizer) and (polariz\$3 near prism) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
52	BRS	19	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary or "2nd" or second or another) adj polarizer) and (polariz\$3 adj prism) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
53	BRS	3	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (auxiliary adj polarizer) and (polariz\$3 near prism) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
54	BRS	3	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (auxiliary adj polarizer) and (polariz\$3 near plate) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
55	BRS	21	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary or "2nd" or second or another) adj polarizer) and (polariz\$3 adj plate) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
56	BRS	21	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary or "2nd" or second or another) adj polarizer) and (polariz\$3 adj plate) and "light source" and (project\$3 near lens) and polarizer	USPAT; US-PGPUB
57	BRS	1	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((auxiliary or "2nd" or second or another) adj polarizer) and (reflect\$3 adj polariz\$3 adj plate) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
58	BRS	3	((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (auxiliary adj polarizer) and (polariz\$3 adj prism) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
59	BRS	3	(auxiliary adj polarizer) and (polariz\$3 adj prism) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
60	BRS	3	(auxiliary adj polariz\$3) and (polariz\$3 adj prism) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
61	BRS	6	(auxiliary adj polariz\$3) and polarizer and "light source" and (project\$3 near	USPAT; US-PGPUB
62	BRS	6	(auxiliary adj polariz\$3) and (polarizer or (polariz\$3 adj plate)) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
63	BRS	2	(rotat\$3 with (auxiliary adj polariz\$3)) and (polarizer or (polariz\$3 adj plate)) and "light source" and (project\$3 near	USPAT; US-PGPUB
64	BRS	3	(rotat\$3 with (auxiliary adj polariz\$3)) and (polarizer or (polariz\$3 adj plate))	USPAT; US-PGPUB
65	BRS	7	(rotat\$3 with (auxiliary adj polariz\$3))	USPAT; US-PGPUB
66	BRS	2	(auxiliary adj polariz\$3) and (rotat\$3 with (polarizer or (polariz\$3 adj plate))) and "light source" and (project\$3 near lens)	USPAT; US-PGPUB
67	BRS	1710	(polarizer near rotat\$3) or (analyzer near rotat\$3)	USPAT; US-PGPUB
68	IS&R	7423	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.	USPAT; US-PGPUB
69	BRS	774	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and (polarizer near rotat\$3) or (analyzer near rotat\$3)	USPAT; US-PGPUB
70	IS&R	473	(353/20).CCLS.	USPAT; US-PGPUB
71	BRS	703	((353/20).CCLS.) and (polarizer near rotat\$3) or (analyzer near rotat\$3)	USPAT; US-PGPUB
72	BRS	854	353/20	USPAT; US-PGPUB
73	BRS	709	353/20 and (polarizer near rotat\$3) or (analyzer near rotat\$3)	USPAT; US-PGPUB
74	BRS	14	((353/20).CCLS.) and ((polarizer near rotat\$3) or (analyzer near rotat\$3))	USPAT; US-PGPUB
75	IS&R	1398	(353/30,31,33,34,37).CCLS.	USPAT; US-PGPUB
76	BRS	4	((353/30,31,33,34,37).CCLS.) and ((polarizer near rotat\$3) or (analyzer near rotat\$3))	USPAT; US-PGPUB
77	BRS	108	((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((polarizer near rotat\$3) or (analyzer near rotat\$3))	USPAT; US-PGPUB
78	BRS	52	(polariz\$5 near (beam adj splitter)) near2 diffraction	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
79	BRS	0	(((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((polarizer near rotat\$3) or (analyzer near rotat\$3))) and ((polariz\$5 near (beam adj splitter)) near2 diffraction)	USPAT; US-PGPUB
80	BRS	394	(polariz\$5 near (beam adj splitter)) with diffraction	USPAT; US-PGPUB
81	BRS	0	(((((353/20,31,33,34,37,38,81,84,98,99,122) or (349/5,6,8,9,62,98,194) or (348/751,752,756,757,760) or (359/485,487,494,495,497,502,627,629,631,634,638) or (362/19)).CCLS.) and ((polarizer near rotat\$3) or (analyzer near rotat\$3))) and ((polariz\$5 near (beam adj splitter)) with diffraction)	USPAT; US-PGPUB
82	BRS	3	((polariz\$5 near (beam adj splitter)) with diffraction) and ((polarizer near rotat\$3) or (analyzer near rotat\$3))	USPAT; US-PGPUB
83	BRS	1	10/163228	USPAT; US-PGPUB
84	BRS	1	10/163228 and ((beam adj splitter) near rotat\$3)	USPAT; US-PGPUB
85	BRS	1	10/163228 and ((beam adj splitter) near2 rotat\$3)	USPAT; US-PGPUB
86	BRS	1	10/163228 and ((beam adj splitter) with rotat\$3)	USPAT; US-PGPUB
87	BRS	1	10/163228 and ((pre adj polarizer) with rotat\$3)	USPAT; US-PGPUB
88	BRS	39	MacNeille adj prism	USPAT; US-PGPUB